

	P2SC-ROB- WR-011-20100524 Weekly Report # 010	P2SC Weekly report	****
	Period Covered: Date: Written By: Released By:	Mon May 24 to Sun May 30 2010 May 31 2010 Carlos Cabanas David Berghmans	Royal Observatory of Belgium PROBA2 Science Center
	To:	LYRA PI, hochedez@sidc.be SWAP PI, david@sidc.be	http://proba2.sidc.be ++ 32 (0) 2 373 0 559
	cc:	ROB DIR, ronald@oma.be ESA Redu, Etienne.Tilmans@esa.int ESA D/SRE, Joe.Zender@esa.int ESA D/TEC, Karsten.Strauch@esa.int	

1. Science

On 24 May 2010 an interesting prominence activation occurred around 15:30. SWAP saw this prominence.



On 25 May 2010 a B6.5 flare took place. Its peak occurred at 15:51:00 UTC. LYRA saw the flare:



The feature around 10:00 corresponds to the Tuesday SWAP calibration camping, while the gap around 20:00 corresponds to the loss of a science data packet.

Quiet conditions from 25 May 2010 to 30 May 2010, with no remarkable events excepting some low intensity B flares.

2. LYRA instrument status

The LYRA instrument functioned normally during the period.

2010-05-24 50msec cadence on unit22010-05-25 50msec cadence on unit22010-05-26

LYRA IOS0067 was sent to carry out two campaigns

- LREP_02_Calibration Wed, May 26, 00:00 -16:50
- LREP_03_BackupAcquisition Wed, May 26, 16:50 23:47

Notice that LY-IOSOOO67 did overwrite LY-IOSOOO66 in which some errors in the commanding occurred.

The intentions of this IOS were the following ones:

For the calibration campaign:

```
1. WARM-UP
2. UNIT2/UNIT1
2.1 10MIN CAL
2.2 40MIN DARK
2.3 200MIN VIS
2.4 200MIN UV
2.5 40MIN DARK
3. UNIT2/UNIT3
3.1 10MIN CAL
3.2 40MIN DARK
3.3 200MIN VIS
3.4 200MIN UV
3.5 40MIN DARK
```

For the backup campaign:


LY-IOS00067


```
LYRA
00067
2010.05.25T10:29:05.000
2010.05.25T23:59:00.000
# generated on 2010-05-25T10:29:05Z by ios.xsl version 1.1
--- (calibration campaign)
2010.05.26T00:00:00.000 warm_up 50ms unit_2 unit_1 100 off
0 close close
2010.05.26T00:07:00.000 set_heater ab 1 off
2010.05.26T00:07:05.000 set_heater ab 2 off
2010.05.26T00:07:10.000 set_heater ab 3 off
```

```
2010.05.26T00:20:00.000 acquisition 50ms unit 2 unit 1
2010.05.26T01:00:00.000 acquisition 50ms unit 2 unit 1
200000 vis 255
2010.05.26T04:20:00.000 acquisition 50ms unit 2 unit 1
200000 uv 255
2010.05.26T07:40:00.000 acquisition 50ms unit 2 unit 1
2010.05.26T08:20:00.000 acquisition 50ms unit 2 unit 3 100
off 0
2010.05.26T08:30:00.000 acquisition 50ms unit 2 unit 3
200000 off 0
2010.05.26T09:10:00.000 acquisition 50ms unit 2 unit 3
200000 uv 255
2010.05.26T12:30:00.000 acquisition 50ms unit 2 unit 3
200000 vis 255
2010.05.26T15:50:00.000 acquisition 50ms unit 2 unit 3
200000 off 0
2010.05.26T16:30:00.000 warm up 50ms unit 2 off 100 off 0
open close
2010.05.26T16:37:00.000 set heater ab 1 off
2010.05.26T16:37:05.000 set heater ab 2 off
2010.05.26T16:37:10.000 set heater ab 3 off
2010.05.26T16:47:00.000 acquisition 50ms unit 2 off 200000
off 0
--- (backup campaign)
2010.05.26T16:50:00.000 warm up 50ms unit 2 unit 1 100 off
0 open open
2010.05.26T16:57:00.000 set heater ab 1 off
2010.05.26T16:57:05.000 set heater ab 2 off
2010.05.26T16:57:10.000 set heater ab 3 off
2010.05.26T17:07:00.000 acquisition 50ms unit 2 unit 1
200000 off 0
2010.05.26T20:10:00.000 warm up 50ms unit 2 unit 3 100 off
0 open open
2010.05.26T20:17:00.000 set heater ab 1 off
2010.05.26T20:17:05.000 set heater ab 2 off
2010.05.26T20:17:10.000 set heater ab 3 off
2010.05.26T20:27:00.000 acquisition 50ms unit 2 unit 3
200000 off 0
--- (back to nominal acquisition)
2010.05.26T23:30:00.000 warm up 50ms unit 2 off 100 off 0
```


```
open close
2010.05.26T23:37:00.000 set_heater ab 1 off
2010.05.26T23:37:05.000 set_heater ab 2 off
2010.05.26T23:37:10.000 set_heater ab 3 off
2010.05.26T23:47:00.000 acquisition 50ms unit_2 off 200000
off 0
```

LYRA performed the commanded actions handled by IOS00067 (calibration and back-up campaign) as supposed. Notice that when LYRA is acquiring, not only the active heads experiment a rise of temperature, but also those which are off.





The standard FITS files presented a group of out-range data points which should appear in the rejected FITS files.




LYRA was performing the calibration campaign at that specific moment, so it happened during the conversion of 0V, 2.5V and 5V:

```
2010.05.26T16:30:00.000 warm_up 50ms unit_2 off 100 off 0 open close
2010.05.26T16:37:00.000 set_heater ab 1 off
2010.05.26T16:37:05.000 set_heater ab 2 off
2010.05.26T16:37:10.000 set_heater ab 3 off
2010.05.26T16:47:00.000 acquisition 50ms unit_2 off 200000 off 0
```

Below, we see a zoomed image with the values of the out-range data points. The voltage converter reached the maximum output that it can provide. It seems that for some reason it got saturated.

The out range values took place at 16:38:53, 16:39:23 and 16:40:53.




More investigation is needed.

2010-05-27 - 2010-05-30 50msec cadence on unit2


3. SWAP instrument status

The SWAP instrument functioned normally during the period.


The 'MCPM NB RECOV ER' increased from 153 to 165 on May23-24. The rest of the week it remained stable at 165. The 'MCPM NB UNRECOV ER' remained fixed at 0.



The detector temperature ('SW HK T CF') increased slightly towards the end of the week from 0.7 degrees to 1.2 degrees Celsius (in average). Notice that in the middle of the week, roughly during 24 hours, the detector remained at 1 degree.





There is a link with the IIU temperature variation over the week (see graph below).



The higher temperature on Wednesday is understood as an effect of the LYRA campaigns. The rise on Friday 28 May (and drop on May 31) could possibly be related to the following (quote from PROBA-2 Operations Status Report #009):

The following combined DSLP/TPMU activity was scheduled: DSLP TC sequence 36 from 2010-05-28T10:00:00 to 2010-05-31T07:41:44





2010-05-24

Nominal operations, 3 different priorities, 10sec integration time, 100sec cadence. **2010-05-25**

SW-IOS00120 handled the SWAP 2-weekly LED campaign.

```
00120
2010.05.25T06:04:44.000
2010.05.25T09:59:59.000
# generated on 2010-05-25T06:04:44Z by ios.xsl version 1.1
2010.05.25T10:00:00.000 idle
2010.05.25T10:00:10.000 data management off 10 off off 0 0
off 0 on float 128 8 off off 0 off
2010.05.25T10:00:20.000 acquisition configuration
correlated double sampling 3 0 0 1023 1023 59 1 led a on
60 30 12bits 0.0262 0.0262
2010.05.25T10:00:30.000 specific acquisition
2010.05.25T10:05:15.000 acquisition configuration
correlated double sampling 3 0 0 1023 1023 59 1 led b on
60 30 12bits 0.0262 0.0262
2010.05.25T10:10:15.000 acquisition configuration
correlated double sampling 3 0 0 1023 1023 59 1 led off 60
30 12bits 0.0262 0.0262
2010.05.25T10:15:15.000 acquisition configuration
correlated double sampling 10 0 0 1023 1023 59 1 led off
30 30 12bits 0.0262 0.0262
2010.05.25T10:26:55.000 acquisition configuration
correlated double sampling 10 0 0 1023 1023 59 1 led off
100 30 12bits 0.0 0.0
2010.05.25T10:47:10.000 data management on 10 off fixed 10
3600 jpeg 0 on float 128 8 off off 255 off
2010.05.25T10:47:20.000 table configuration 3
0 10 0 0 1023 1023 1 110 0.0 0.0 off 253
1 10 0 0 1023 1023 1 110 0.0 0.0 off 254
2 10 0 0 1023 1023 1 110 0.0 0.0 off 255
2010.05.25T10:47:30.000 table acquisition 0 3
```

Resulting images still to be analyzed.

2010-05-26 - 2010-05-30

Nominal operations, 3 different priorities, 10sec integration time, 110 sec cadence.

4. PROBA2 Science Center Status

Carlos Cabanas was operator during this week.

In the LYRA pipeline, only the LY-TMR runs automatically. The LY-EDG, is scheduled manually on a daily basis with a version which only uses a temporary database and can produce all daily FITS files. This week, this script was also run a few times a day to produce intermediate data products (incomplete daily FITS with all data available on that time).

Several old daily LYRA FITS files were reproduced during the week as they were incomplete at the first time of creation.

The SWAP pipeline runs automatically until the end.

5. Commanding, Data reception & discussions with MOC

Overview of the received data.

1. House keeping data

No gaps during the week.

2. Science data

2010-05-25

BINLYRA_1358_SVA1 arrived corrupted. (REDU confirmed)

2010-05-27

BINLYRA 1376 SVA1 arrived corrupted.

2010-05-30

BINLYRA 1401 SVA1 arrived corrupted.

The rest of the days of the week the data recovery run nominally.

6. APPENDIX Frequently used acronyms

ADP ADPMS AOCS APS ASIC BBE CME COGEX	Ancillary Data Processor Advanced Data and Power Management System Attitude and Orbit Control System Active Pixel image Sensor Application Specific Integrated Circuit Base Band Equipment Coronal Mass Ejection Cool Gas Generator Experiment
CRC DR DSLP EIT	Cyclic Redundancy Check Destructive Readout Dual Segmented Langmuir Probe Extreme ultraviolet Imaging Telescope

FITS Flexible Image Transport System

FOV Field Of View FPA Focal Plane Assembly

FPGA Field Programmable Gate Arrays

GPS Global Positioning System
HAS High Accuracy Star tracker

HK Housekeeping

ICD Interface Control Document
IIU Instrument Interface Unit
Instrument Operations Sheet

LED Light Emitting Diode LEO Low Earth Orbit

LYRA Lyman Yield Radiometer

LYRA Telemetry Reformatter (software module of P2SC)
LYRA Engineering Data Generator (software module of P2SC)

MCPM Mass Memory, Compression and Packetisation Module

MOC
NDR
OBET

Mission Operation Center
Non Destructive Readout
On board Elapsed Time
On board Software

OBSW

Proximity Electronics

PE Programmable Gain Amplifier

PGA Principal Investigator PROBA2 Science Center

Pointing, Positioning and Time (software module of P2SC)

PPT Royal Observatory of Belgium

ROB South Atlantic Anomaly

SAA Spacecraft Operation System

SCOS Single Event Upset

SEU Solar and Heliospheric Observatory

SOHO

Sun Watcher using APS detector and image Processing

SWAP Base Science Data Generator

SWBSDG SWAP Engineering Data Generator (software module of P2SC)

SWEDG SWAP Telemetry Reformatter (software module of P2SC)

SWTMR To Be Confirmed TBC To Be Defined

TBD To Be Written TC Telecommand
TBW Thermal Plasma Measurement Unit

TPMU Coordinated Universal Time

UTC Ultraviolet

UV